

PERSONAL CARE CATALOGUE



MICROCAPSULES

	DESCRIPTION	PROPERTIES	FORMULATION
CAPSURETINOL UHC	13% <i>all-trans retinol</i> -loaded microcapsules. Water base emulsion. BHT-free.	Pressure-triggered <i>all-trans retinol</i> release. Anti-wrinkle, photo-aging reversion, anti-oxidant and anti-acne.	0.2 - 2.3 %
CAPSURETINOL PF	3% <i>all-trans retinol</i> -loaded microcapsules. Water base emulsion.	Pressure-triggered <i>all-trans retinol</i> release. Anti-wrinkle, photo-aging reversion, anti-oxidant and anti-acne.	1.0 – 10.0 %
CAPSURETINOL RP	30% <i>retinyl propionate</i> -loaded microcapsules. Water base emulsion.	Pressure-triggered <i>retinil propianate</i> release. Anti-wrinkle, photo-aging reversion, anti-oxidant and anti-acne.	0.1 – 1.0 %



WELL-AGING RANGE

ENCAPSULATED ACTIVES

	DESCRIPTION	PROPERTIES	FORMULATION
CAPSURESVERATROL	3% <i>trans-resveratrol</i> capsules. Water base emulsion. Free of surfactants.	Redox-triggered <i>resveratrol</i> release by biological fluids. Antioxidant, anti-inflammatory, whitening.	3.0 – 10.0 %
CAPSUCURCUMIN	3% <i>curcumin</i> capsules. Water base emulsion. Free of surfactants.	Redox-triggered <i>curcumin</i> release by biological fluids. Antioxidant and anti-inflammatory.	3.0 – 10.0 %
CAPSUBAKUCHIOL	3% <i>bakuchiol</i> capsules. Water base emulsion. Free of surfactants.	Redox-triggered <i>bakuchiol</i> release by biological fluids. Antioxidant, anti-acne and anti-inflammatory.	3.0 – 10.0 %
ECOCAPS- TOCOPHEROL	21% vitamin E (D, L-alpha- tocopherol)-loaded microcapsules. Water base emulsion.	Pressure-triggered <i>D, L-alpha-tocopherol</i> release. Free-radical scavenger and antioxidant effect.	1.0 – 5.0 %



NATURAL OILS RANGE

ENCAPSULATED NATURAL OILS

	DESCRIPTION	PROPERTIES	FORMULATION
ECOCAPS-SPEARMINT (93% natural)	30% Mentha viridis leaf oil-loaded microcapsules.	Pressure-triggered <i>Mentha viridis leaf oil</i> release. Long-lasting mint scent and antimicrobial effect. Antioxidant and anti-inflammatory.	1.0 - 5.0 %
ECOCAPS-LAVENDER (97% natural)	30% Lavandino Abrialis essential oil-loaded microcapsules. Biodegradable ISO 14851	Pressure-triggered <i>Lavandino Abrialis</i> sustained release. Long-lasting scent. Relaxing effect, antimicrobial, anti-inflammatory, antioxidant.	1.0 - 5.0 %
ECOCAPS-TEA TREE (97% natural)	30% Australian Melaleuca Alternifolia essential oil-loaded microcapsules. Biodegradable ISO 14851.	Pressure-triggered Australian Melaleuca Alternifolia essential oil sustained release. Long-lasting effect. Anti-inflammatory, antimicrobial, anti-acne and lice prevention	1.0 - 5.0 %

ENCAPSULATED NATURAL OILS

	DESCRIPTION	PROPERTIES	FORMULATION
ECOCAPS-MENTHOL	6% M <i>enthol</i> -loaded microcapsules.	Pressure-triggered release of <i>Menthol</i> . Used in combination with free menthol for a long-lasting cooling effect. Analgesic, anti-inflammatory, pain-reliever, antimicrobial and anxiety-reliever.	5.0 - 20.0 %
ECOCAPS-MENTHOL PLUS	15% <i>Menthol</i> -loaded microcapsules.	Pressure-triggered release of Menthol. High menthol concentration giving a cooling effect that last over the hours. Analgesic, anti-inflammatory, pain-reliever, antimicrobial and anxiety-reliever.	2.0 - 10.0 %



FRAGRANCES RANGE

ENCAPSULATED FRAGRANCES

	DESCRIPTION	PROPERTIES	FORMULATION
ECOCAPS-GREEN APPLE	30% fragrance-loaded microcapsules.	Pressure-triggered green apple fragrance release. Long-lasting fruity and fresh scent (aromatic).	1.0 - 5.0 %



FILM FORMERS RANGE

HAIR CARE

	DESCRIPTION	PROPERTIES	FORMULATION
ECOFILMCARE-A	Water-based anionic film-forming hybrid silane-polyurethane polymer.	This polymer is designed for curl retention in hair sprays giving a abrasion, water and alkali resistant.	1.0 - 5.0 %
ECOFILMCARE-C	Water-based cationic film-forming organic-inorganic hybrid cross-linked polyurethane.	This polymer is designed for curl retention in hair sprays giving a abrasion and water resistant.	1.0 - 5.0 %
ECOFILMCARE-S	Water-based cationic film-forming organic-inorganic hybrid cross-linked polyurethane with silicone (not free).	This polymer is designed for high humidity, water and abrasion resistance in hair styling giving a silky touch and shining effect.	1.0 - 5.0 %
ELYSAN W	Anionic aqueous dispersion of aliphatic polyester-polyurethane. INCI: POLYURETHANE-34.	Hair conditioners, hair masks, serums and hair-sprays to provide extra humidity and heat protection, elasticity and shine to hair.	5.0 - 25.0 %
ELYSAN HR W	Anionic polyester-polyurethane aqueous dispersion. INCI: POLYURETHANE-48.	Designed to improve adhesion properties, softness, hairstyle retention, moisture resistance, elasticity and excellent light film-forming performance.	1.0 – 5.0 %
ELYSAN PLUS W	Anionic aqueous dispersion of aliphatic polyester- polyurethane. Self-crosslinking after dry. INCI: POLYURETHANE-34 (AND) AMINOPROPYL TRIETHOXYSILANE.	Improved washing resistance, binding properties, softness and dry feeling. As well as elasticity and an excellent light-weight film-forming behaviour.	5.0 - 25.0 %

SKIN CARE

	DESCRIPTION	PROPERTIES	FORMULATION
ELYSAN	Anionic aqueous dispersion of aliphatic polyester-polyurethane	It makes a film to form a barrier that reduces bacterial adhesion to the skin.	5.0 - 25.0 %
ELYSAN W	Anionic aqueous dispersion of aliphatic polyester-polyurethane. INCI: POLYURETHANE-34.	It makes a water-resistant film to form a barrier that reduces bacterial adhesion to the skin.	5.0 - 25.0 %

COLOR COSMETICS

	DESCRIPTION	PROPERTIES	FORMULATION
ELYSAN PLUS W	Anionic aqueous dispersion of aliphatic polyester-polyurethane. Self-crosslinking after dry. INCI: POLYURETHANE-34 (AND) AMINOPROPYL TRIETHOXYSILANE.	This polymer is designed for nail polish forming a light film with great adhesion, elasticity and water resistant.	5.0 - 25.0 %
ELYSAN W	Anionic aqueous dispersion of aliphatic polyester-polyurethane. INCI: POLYURETHANE-34.	Designed to be included in facial masks especially in peel-off masks where it forms a highly elastic and water resistant film.	1.0 – 10.0 %
ELYSAN PLUS	Anionic aqueous dispersion of aliphatic polyester- polyurethane. Self-crosslinking after dry.	Slight film formation and high elasticity in water-based nail polish.	5.0 - 25.0 %
ELYSAN DS W	Anionic aliphatic polyester-polyurethane aqueous dispersion. INCI: POLYURETHANE-35.	This polymer is designed for make up and nail polish to provide a transfer-resistant properties, softness, long-lasting, fast drying, excellent abrasive resistance, good washability and anti-pollution barrier.	0.5-30.0%

COLOR COSMETICS

	DESCRIPTION	PROPERTIES	FORMULATION
ECOFILMCARE-A	Water-based anionic film-forming hybrid silane- polyurethane polymer.	This polymer is designed for advanced nail polish products providing abrasion, water and alkali resistance.	1.0 - 5.0 %
ECOFILMCARE-C	Water-based cationic film-forming organic-inorganic hybrid cross-linked polyurethane.	This polymer is designed for advanced nail polish products providing abrasion and water resistance.	1.0 – 5.0 %
ECOSUN (63% Biobased*) *Dried polymer	Ethanol-based non-ionic polyurethane film-former.	Forms a highly water-resistant film with great adhesion when applied to nails.	5.0 - 25.0 %

SUN CARE

	DESCRIPTION	PROPERTIES	FORMULATION
ELYSAN W	Anionic aqueous dispersion of aliphatic polyester-polyurethane. INCI: POLYURETHANE-34.	Forms a highly water-resistant film when applied to wet skin. Used in lotions and aqueous sun creams.	1.0 – 10.0 %
ECOSUN (63% Biobased*) *Dried polymer	Ethanol-based non-ionic polyurethane film- former.	Forms a highly water-resistant film when applied to wet skin. Used in aerosols, sprays and oil-based sun creams.	1.0 – 10.0 %



CONDITIONERS RANGE

LEAVE ON CONDITIONERS

	DESCRIPTION	PROPERTIES	FORMULATION
ECOREPAIR	Aqueous polymer dispersion based on a thiol- functionalized reactive polyurethane-polyurea modified silicone.	Hybrid siloxane-polyurethane polymer for hair and skin keratin repair, designed to recover damaged hair fibers, making a strong bond to moisturize the hair. Thermal protection for damaged hair. No build-up effect and silky/shiny feel.	3.0 - 5.0 %
ECOFIXER	A hydrophobic hybrid aqueous polymer dispersion based on a thiol functionalized reactive polyurethane-polyurea modified silicone.	Designed to recover damaged hair fibers by performing a strong bonding. This is carried out by the action of a cross-linkable reactive polymer, which selectively binds to certain functional groups present in the keratin protein. Thus, when ECOFIXER is applied to the hair, it generates a hydrophobic film that confers long-lasting protection, elasticity and improves the natural properties of the hair.	3.0 - 15.0 %

RINSE OFF CONDITIONERS

	DESCRIPTION	PROPERTIES	FORMULATION
SILAIRCARE	16% amodimethicone-loaded polyurethane- nano/microcapsules.	Drying-activated release of amodimethicone giving a silky touch and shining effect on hair. Ideal as rinse-off conditioner during blow-drying or flat ironing procedures.	5.0 - 20.0 %

Needa sample?

Send us an email to samples@ecopoltech.com

Please provide a brief explanation of your technical needs as well as your marketing plan for the next 6-12 months.

Contact us

Ecopol Tech S.L.

Parc Empresarial El Foix

C/Industria, 7, 43720 L'Arboç

(Tarragona), SPAIN

+34 977 16 75 39

www.ecopoltech.com